

Glossary

- golden file** – a file containing the expected output of a (regression) test program. The test program is run, creating an output file that is then compared to the golden file, and if the files match, the test passes. [Raw String Literals \(114\)](#)
- grouping macro** – one that expands all of its arguments using `__VA_ARGS__`; a grouping macro is useful for circumventing syntactic annoyances that occur when a conventional macro is supplied a multiparameter template and thus with macro arguments containing commas that are not themselves nested within parentheses; e.g., `SOME_MACRO(SomeTemplate<A, B, C>)` results in a syntax error. [Generalized PODs '11 \(520\)](#)
- guaranteed copy elision** – a form of copy elision that became mandatory in C++17: when an object is initialized with a *prvalue* of the same type (e.g., when returning from a function *by value*), no temporary object is created, and the destination object is constructed directly from the initializing expression, thereby eliminating any need for (accessible) copy operations. [Braced Init \(216\)](#), [noexcept Operator \(648\)](#), [Rvalue References \(791\)](#), [Ref-Qualifiers \(1163\)](#)
- handle type** – one that defines a (typically lightweight) *proxy* for a physically separate object or resource, often wrapping a lower-level API that interacts directly with a raw resource. [Rvalue References \(792\)](#)
- hard UB** – short for language undefined behavior (a.k.a. language UB). [noexcept Specifier \(1115\)](#)
- has identity** – states, for a given entity, that there is a way (e.g., by name or address) of identifying it (e.g., a *glvalue*) other than just reiterating its value (e.g., a *prvalue*). For example, a variable or data member thereof has identity, whereas a (nonstring) literal does not. [Rvalue References \(711\)](#)
- header-only library** – a library whose full implementation is contained in header files and all defined functions are **template** or **inline**, removing the need to link library-specific object files. [inline namespace \(1067\)](#)
- heap memory** – a synonym for dynamically allocated memory.
- hidden-friend idiom** – the design technique of declaring and defining a free function or free operator as a **friend** of a type within the scope of a class definition. A function implemented in this way is not visible to ordinary name lookup or even qualified lookup and will be found only through argument-dependent lookup — i.e., only when the type declaring the *hidden friend* is participating in overload resolution. [Generalized PODs '11 \(472\)](#)
- hide** – preventing access, by one entity, to another entity of the same name due to name lookup rules. For example, function-name hiding occurs when a member function in a derived class has the same name as one in the base class, but it is not overriding it due to a difference in the function signature or because the member function in the base class is not **virtual**; the *hidden member function* is accessible only via a pointer or reference to the base class. Another example occurs when a type `S` is hidden by a variable — e.g., `struct S { } S; S s;` (Error, `S` is not a type.) — i.e., one having the same name in the same scope. [Inheriting Ctors \(536\)](#), [Lambda Captures \(987\)](#)
- hierarchical reuse** – a central paradigm of effective large-scale software development in which reuse is not limited to client-facing components but instead extends downward recursively to apply to all of the parts comprised by every component; see also [Software Capital](#). [final \(1012\)](#)
- higher-order function** – one that operates on other functions — i.e., takes a function as an argument or returns a function as its return value. [Trailing Return \(125\)](#)