

Index

- one-definition rule (ODR), 263, 1072, 1079
 - constexpr** functions, 263
 - extern template**, 374
 - violating, 1189
 - opaque declarations, 660–662
 - opaque enumerations
 - annoyances, 677–678
 - description of, 660–663
 - external usage, 350, 832
 - further reading for, 678
 - potential pitfalls, 675–677
 - inciting local enumeration declarations, 677
 - redeclaring externally defined enumeration locally, 675–677
 - use cases, 663–675
 - cookies, 669–675
 - insulating some external clients from enumerator list, 665–668
 - within header files, 663–665
 - operands, for **decltype**
 - () versus (()) notation for, 30
 - entities, 25
 - expressions, 25–26
 - operators. *See also* keywords
 - || (logical or), 265
 - alignof**
 - annoyances, 193–194
 - description of, 184
 - fundamental types, 184
 - use cases, 186–193
 - user-defined types, 185–186
 - bitwise right-shift, 21–24
 - braced lists and, 254–255
 - decltype**
 - annoyances, 31
 - description of, 25–26
 - potential pitfalls, 30
 - use cases, 26–30, 28n1
 - explicit
 - description of, 61–63
 - potential pitfalls, 66–67
 - use cases, 63–65
 - greater-than (>), 21–22
 - noexcept**
 - annoyances, 650–658
 - description of, 615–634
 - further reading for, 658
 - move operations, 658–659
 - potential pitfalls, 647–650
 - use cases, 634–647
 - sequencing, 265
 - UDL operators, 840–842
 - cooked, 843–845
 - raw, 845–849
 - templates, 849–851
 - optimization
 - attributes for
 - hints for additional optimization opportunities, 15–16
 - statement of explicit assumptions, 16–17
 - builder classes, 1167–1170
 - conflating with reducing code size, 1143–1144
 - immutable types, 1167–1170
 - optimized metaprogramming algorithms, 963–964
 - ordered after, 998
 - ordinary character types, 501–505
 - out clause, 1118
 - out of contract, 744, 1117
 - outermost expressions, 820
 - ~~over aligned~~, 185
 - overhead costs, single-threaded applications, 80
 - overload resolution
 - deleted functions, 53
 - nullptr** keyword, 101–102
 - priorities, 730
 - rvalue references, 713
 - `std::initializer_list`, 561
 - user-defined literals (UDLs), 841
 - overloading, 741
 - free functions, 570–571
 - functions, 1089n6
 - improving disambiguation, 340–343
 - null pointer, 102–103
 - reference types, 727–730
 - overloads, ref-qualified, 1171–1172
 - overly strong contract guarantees, 1112–1116
 - override** member-function specifier
 - as contextual keyword, 1023
 - description of, 104–105
 - final** contextual keyword, interactions with, 1007, 1009–1011
 - further reading for, 107
 - potential pitfalls, 106
 - safety of, 5
 - use cases, 105–106
 - overriding, 539
 - member functions, 105–106
 - preventing with **final** contextual keyword, 1007
 - owned resources, 741, 803–804
- P**
- pack expansion, 882, 908–911, 925, 964
 - alignas** specifier, 921–922
 - attribute lists, 922
 - base specifier list, 915–917
 - braced initializer lists, 912–914