

initializer_list

Chapter 2 Conditionally Safe Features

```

void test3() // Print "100 200 300 " to stdout.
{
    for (int i : {100, 200, 300})
    {
        std::cout << i << ' ';
    }
}

```

Note that the use of a **temporary** `std::initializer_list`, as in the example above, is supported in a range-based **for** loop only because lifetime extension (i.e., via binding to a reference as opposed to copying) of this library object is magically tied by the language to a corresponding lifetime extension of the underlying array. Without lifetime extension, this **for** loop too would have been considered to have **undefined behavior**; again, see *Pointer semantics and lifetimes of temporaries* below.

Finally, corresponding global `std::begin` and `std::end` **free function** templates are overloaded for `std::initializer_list` objects directly in the `<initializer_list>` header, but see *Annoyances — Overloaded free-function templates begin and end are largely vestigial* on page 570.

Pointer semantics and lifetimes of temporaries

An instance of the `std::initializer_list` class template is a lightweight proxy for a homogeneous array of values. This type does not itself contain any data but instead refers to the data via the address of that data. For example, `std::initializer_list` might be implemented as a pair of pointers or a pointer and a length.

When a nonempty braced list is used to initialize an `std::initializer_list`, the compiler generates a temporary array having the same lifetime as other **temporary** objects created in the same expression. The `std::initializer_list` object itself has a special form of *pointer semantics* understood by the compiler, such that the lifetime of the temporary array will be extended to the lifetime of the `std::initializer_list` object for which the underlying array was created. Importantly, the lifetime of this underlying array is *never* extended by copying its proxy initializer-list object.

Consider an `std::initializer<int>` initialized with three values, 1, 2, and 3:

```
std::initializer_list<int> i1 = {1, 2, 3}; // initializes i1 with 3 values
```

The compiler first creates a **temporary** array holding the three values. That array would normally be destroyed at the end of the outermost expression in which it appears, but initializing `i1` to refer to this array extends its lifetime to be coterminous with `i1`.

No such lifetime extension occurs under any other circumstances:

```

void assign3InitializerList() // BAD IDEA
{
    i1 = { 4, 5, 6, 7 }; // i1 has dangling reference to a temporary array.
}

```

Section 2.1 C++11

initializer_list

The temporary array created in the assignment expression above is not used to initialize `it`, so that temporary array’s lifetime is not extended; it will be destroyed at the end of the assignment expression, leaving `it` having a dangling reference to an array that no longer exists; see *Potential Pitfalls — Dangling references to temporary underlying arrays* on page 566.

Initialization of `std::initializer_list<E>` objects

The underlying array of an `std::initializer_list<E>` is a **const** array of elements of type `E`, with length determined by the number of items in the braced list. Each element is copy initialized by the corresponding expression in the braced list, and if user-defined conversions are required, they *must* be accessible at the point of construction. Following the rules of copy list initialization, narrowing conversions and explicit conversions are ill formed; see Section 2.1. “Braced Init” on page 215:

```

struct X { operator int() const; };
void f(std::initializer_list<int>);

void testCallF()
{
    f({ 1, '2', X() }); // OK, 1 is int.
                       // '2' has a language-defined conversion to int.
                       // X has a user-defined conversion to int.

    f({ 1, 2.0 }); // Error, 2.0 has a narrowing conversion to int.
}

```

Note that, since the initializer is a constant expression, narrowing conversions from integer literal constant expressions of a wider type are permitted, provided that they are lossless:

```

#include <initializer_list> // std::initializer_list

constexpr long long lli = 13LL;
const long long llj = 17LL;

void g(const long long arg)
{
    std::initializer_list<int> x = { 0LL }; // OK, integral constant
    std::initializer_list<int> y = { lli }; // OK, integral constant
    std::initializer_list<int> z = { llj }; // OK, integral constant
    std::initializer_list<int> w = { arg }; // Error, narrowing conversion
}

```

Type deduction of `initializer_list`

An `std::initializer_list` will not be deduced for a braced-initializer argument to a function template having an *unconstrained* template parameter, but a braced-initializer